



















** ICON MACHINE TOOLS **








Block No C-3, Room No-9, Basement Kachhomal Chowk Ulhasnagar-421003 Mob. 9860497664 / 9833329240

** INGCO PRICE LIST 01/10/2025 **








SR. NO	Ingco item No.	Picture	Product name	Description & Features	QUANTITY	Unit Price by INR
					PER CARTON	INCLUDING GST
1	COSLI23011		Cordless 2 Pcs combo kit	Voltage:20V With 1pcs lithium-ion impact wrench(CIWL12038) With 1pcs work lamp(HWL135261) Lithium-ion impact wrench(CIWL12038): Brushless motor Voltage:20V Square drive:1/2" No-load speed:0-1300/0-2300rpm Impact rate:0-2000/0-3300bpm Max torque:300Nm Integrated LED work light Work lamp(HWL135261)	6	10650
2	CKLI20122		Lithium-Ion cordless 2 pcs combo kit	Voltage: 20V 1 Pcs lithium-ion cordless drill(CDLI20035) Voltage: 12V 1 Pcs lithium-ion cordless drill(CDLI12428) Lithium- Ion cordless drill(CDLI20035): No-load speed: 0-400/0-1500rpm Max torque: 40Nm Chuck capacity: 0.8-10mm Torque settings: 15+1 Mechanical 2-speed gear Lithium-Ion cordless drill(CDLI12428) No- load speed: 0- 750rpm, Max torque: 20Nm Chuck capacity: 0.8-	4	6450
3	COSLI23048		Cordless 2 pcs combo kit	Voltage:20V With 1pcs cordless impact wrench(CIWL120401) With 1pcs work lamp(HWL135261) Cordless impact wrench(CIWL120401): Brushless motor, Square drive: 1/2" No-load speed: 0-1600/0-1900/0- 2300rpm Impact rate: 0-2100/0- 2500/0-2900bpm Fastening torque: 400Nm, Nut-Busting torque: 550Nm Integrated LED work light Work lamp(HWL135261), Using Li-polymer rechargeable battery	4	10350
4	COSLI250386		Cordless 3 pcs combo kit	Voltage:20V With 1pcs Cordless impact wrench(CIWL1201351) With 1pcs Cordless impact wrench(CIWL120851) With 1pcs Cordless impact wrench(CIWL120401) Cordless impact wrench(CIWL1201351): Brushless motor Voltage: 20V Square drive: 3/4" No-load speed: 0-900/0-1200/0- 1800rpm Impact rate: 0-1800/0-2000/0- 2200bpm Fastening torque: 1350Nm Nut-Busting torque: 1900Nm Cordless impact wrench(CIWL120851):	1	
5	CKLI2027310		Cordless 2 pcs combo kit	Voltage: 20V Include: 1 Pcs Lithium-Ion angle grinder(CAGLI21104) 1 Pcs Lithium- Ion compact brushless cordless drill(CIDL120602) Lithium-Ion angle grinder(CAGLI21104): Brushless Motor Voltage:20V No-load speed:3000/6000/9000rpm Disc diameter:100mm, Spindle thread:M10, Lithium-Ion compact brushless cordless drill(CIDL120602):	4	14900
6	COSLI250586		Cordless 2pcs combo kit	Voltage:20V With 1pcs Brushless cordless impact drill(CIDL1209681) With 1pcs Cordless impact wrench(CIWL120851) Brushless cordless impact drill(CIDL1209681): Brushless motor No-load speed: 0-500/0-2000rpm Max impact rate: 30000bpm Max torque: 96Nm Metal chuck Chuck capacity: 13mm Torque settings: 22+1+1 Mechanical 2-speed gear Spindle lock function Integrated LED work light	5	20100

7	CIWLI2085		Cordless impact wrench	<p>Brushless motor Voltage:20V Square drive:1/2" No-load speed: 0-1600/0-2100/0- 2400rpm Impact rate: 0-1500/0- 1800/0-2200bpm Fastening torque:850Nm Nut-Busting torque:1000Nm Integrated LED work light Include: 3 Pcs deep sockets(22,24,27mm) 1 Pcs belt clip, 2 Pcs 4.0Ah battery pack(FBLI2002) 1</p>	4	16900
8	CIWLI2050		Cordless impact wrench	<p>Brushless motor Voltage: 20V Square drive: 1/2" No-load speed: 0-1200/0- 1800/0- 2200rpm Impact rate: 0- 2400/0- 2800/0-3300bpm Fastening torque: 500Nm Nut-Busting torque: 650Nm Integrated LED work light Include: 1 Pcs belt clip, 3 Pcs sockets(21,22,24mm), 2 Pcs 4.0Ah battery pack(FBLI20021)</p>	5	13250
9	CIWLI2040		Cordless impact wrench	<p>Brushless motor Square drive: 1/2" No-load speed: 0-1600/0-1900/0- 2300rpm Impact rate: 0- 2100/0- 2500/0-2900bpm Fastening torque: 400Nm Nut-Busting torque: 550Nm Integrated LED work light Include: 1 Pcs 20V charger(FCLI2001) Charge volts: 220- 240V~50/60Hz</p>	5	9675
10	CIWLI2035		Cordless impact wrench	<p>Brushless motor Square drive: 1/2" No-load speed: 0-1600/0-1900/0- 2300rpm Impact rate: 0- 2100/0- 2500/0-2900bpm Fastening torque: 350Nm. Nut-Busting torque: 450Nm Integrated LED work light Include: 1 Pcs 20V charger(FCLI2001) Charge volts: 220- 240V~50/60Hz</p>	5	8755
11	CIWLI20135		Cordless impact wrench	<p>Brushless motor Voltage: 20V Square drive: 3/4" No-load speed: 0-900/0-1200/0- 1800rpm Impact rate: 0-1800/0-2000/0-2200bpm Fastening torque: 1350Nm Nut-Busting torque: 1900Nm Integrated work light Include: 2 Pcs 5.0Ah battery pack(FBLI20031) 1 Pcs 4A charger(FCLI20411)</p>	2	28300
12	CIWLI2001		Lithium-ion impact wrench	<p>Voltage:20V Square drive:1/2" No- load speed:0-1300/0- 2100rpm Impact rate:0- 2000/0-3300bpm Max torque:300NM With 2pcs 2.0Ah battery pack With 1pcs charger Charge</p>	5	12808








13	HKTHP31521	 <p>P20S BL MOTOR 152PCS/SET 500N.m 4.0Ah</p>	152 Pcs Cordless impact wrench tools set	152 Pcs Cordless impact wrench tools set Cordless impact wrench(CIWL12050): Voltage: 20V Square drive: 1/2" No-load speed: 0-1200/0-1800/0- 2200rpm Impact rate: 0-2400/0-2800/0- 3300bpm Fastening torque: 500Nm Nut-busting torque: 650Nm Include: 1 Pcs 4.0Ah battery pack(FBL12002) 1 Pcs charger(FCL12001E) Charge volts: 220-240V~50/60Hz 1 Pcs ratchet wrench: 1/4" 13 Pcs 1/4" socket: 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14 18 Pcs 1/4" x 32(L) bits socket: Hex:3-4-5-6-8mm, Star: T8-T10-T15-T20-T25-T30-T40, SL:5.5-6.5mm,	1	21900
14	HKTHP31261	 <p>P20S BL MOTOR 126PCS/SET 1350N.m 5.0Ah 4.0A</p>	126 Pcs Cordless impact wrench tools set	126 Pcs Cordless impact wrench tools set 1350NM Cordless impact wrench(CIWL201351): Voltage: 20V Square drive: 3/4" No-load speed: 0-900/0-1200/0-1800rpm Impact rate: 0-1800/0-2000/0-2200bpm Fastening torque: 1350Nm Nut-Busting torque: 1900Nm Integrated work light Include: 1 Pcs 5.0Ah battery pack(FBL120031) 1 Pcs 4A charger(FCL120411) Charge volts: 220-240V~50/60Hz 4 Pcs 3/4" impact socket: 26,27,30,32mm 18 Pcs 1/4" x 32(L) bits socket: Hex:3-4-5-6-8mm, Star: T8-T10-T15-T20-T25-T30-T40, SL:5.5-6.5mm, PH2,PH3,PZ2,PZ3. 1 Pcs spinner handle: 1/4" x150mm 1 Pcs 1/4" adaptor: 3/8"(F)x1/4"(M) 1 Pcs bit holder: 1/4"x6.35mm 40 Pcs 6.35x25mm(L) bits: T5-T6-T7-T8-T9-T10-T15-T20-T25-T30-T40 1 Pcs 12V cordless drill(CDLI12428)	1	32550
15	HKTHP10891	 <p>89PCS/SET 1.5Ah 20Nm</p>	89 Pcs Tools set	1 Pcs 12V cordless drill(CDLI12428) Voltage: 12V No-load speed: 0-750rpm Max torque: 20Nm Chuck capacity: 0.8-10mm Torque settings: 15+1 1 Pcs 12V 1.5Ah battery pack(FBL12153) 1 Pcs USB type-C charging cable Integrated LED	5	5490
16	HKTHP11651	 <p>P20S 165PCS/SET 2.0Ah 66N.m</p>	165 Pcs Tools set	1 Pcs 20V cordless impact drill(CIDL120035) 1 Pcs 2.0Ah battery pack(FBL120011) 1 Pcs charger(FCL12001) Charge volts: 220V-240V~50/60Hz Max impact rate: 22500bpm 1 Pcs 8oz claw	4	9150
17	CKLI20271	 <p>P20S 2 in 1 BL MOTOR 400N.m 52N.m 2.0Ah X2</p>	Cordless 2 pcs combo kit	Voltage:20V With 1pcs lithium-ion brushless cordless drill (CDLI20453) With 1pcs lithium-ion impact wrench(CIWL12040) Lithium-ion brushless cordless drill(CDLI20453): Brushless motor No-load speed: 0- 550/0-2000rpm Max torque: 52Nm Plastic chuck Chuck capacity: 10mm Torque settings: 22+1 Mechanical 2-speed gear Spindle lock	4	12900
18	CKLI20275	 <p>P20S 2 in 1 BL MOTOR 400N.m 66N.m 2.0Ah X2</p>	Cordless 2 pcs combo kit	With 1pcs Compact Brushless Cordless Impact Drill(CIDL1206681) With 1pcs Cordless impact wrench(CIWL120401) Compact Brushless Cordless Impact Drill(CIDL1206681): Brushless motor No-load speed: 0-500/0-2000rpm Max impact rate: 30000bpm Max torque: 66Nm Metal chuck	4	13100








19	IW10508	 <p>1050W 550N.m</p>	Impact wrench	Voltage:220-240V~50/60Hz Input power:1050W No-load speed:2300rpm Max torque:550NM Square drive:1/2" Aluminum gear box with rubber With 6pcs sockets(17,18,19,21,23,24mm) With 1pcs 125mm adaptor With 1set	2	8702
20	 AIW11223	 <p>1" 1800N.m</p>	Air impact wrench	Without quick plug Square drive:25mm(1") No-load speed:4000 rpm Max.torque:1800Nm(1328ft) Twin hammer mechanism With universal connector. Air Consumption:256l/min(9cfm) Air Pressure:6.3bar(90psi) Length:234mm(9.2") Weight:5.9kg(13lbs) Air inlet:3/8" Air hose:1/2" Packed by color box	1	13850
21	AIW11222	 <p>1" 3100N.m</p>	Air impact wrench	Square drive:25.4mm(1") No-load speed:3600/min Max.torque:3100Nm(2220Ft- lb) Weight: 18.5KG With universal connector. Air Consumption:36Cfm(1019l/min) Anvil:200mm(8")	1	22840
22	AIW12562	 <p>1/2" 610N.m</p>	Air impact wrench	Square drive:12.5mm(1/2") No-load speed:7000/min Max.torque:610Nm(450Ft- lb) Weight: 2.6KG Twin hammer mechanism With 3 pcs socket (17mm,19mm,21mm) With Europe type connector, USA type	6	5863
23	CDLI20602	 <p>P20S COMPACT brushless 60N.m 2.0Ah X2 SPINDLE LOCK incco</p>	Compact Brushless Cordless Drill	Brushless motor Voltage: 20V No-load speed: 0-550/0-2000rpm Max torque: 60Nm Metal chuck Chuck capacity: 13mm Torque settings: 22+1 Auto-lock keyless chuck Mechanical 2-speed gear Spindle lock function Integrated LED work light LED battery power indicator Include:	5	8390
24	CDLI20582	 <p>P20S COMPACT brushless 55N.m 2.0Ah X1 SPINDLE LOCK incco</p>	Compact Brushless Cordless Drill	Brushless motor Voltage: 20V No-load speed: 0-500/0-2000rpm Max torque: 55Nm Metal chuck Chuck capacity: 13mm Torque settings: 22+1 Mechanical 2-speed gear Spindle lock function Integrated LED work light Include:	5	5210








25	 CIDLI20968		Brushless cordless impact drill	Brushless motor Voltage: 20V No-load speed: 0-500/0-2000rpm Max impact rate: 30000bpm Max torque: 96Nm Metal chuck Chuck capacity: 13mm Torque settings: 22+1+1 Mechanical 2-speed gear Spindle lock function Integrated LED work light LED battery power indicator Include: 2 Pcs 4.0Ah battery pack(FBLI20021) 1 Pcs charger(FCLI20411)	5	13900
26	CIDLI12202		Cordless impact drill	Voltage: 12V No-load speed: 400/0-1500rpm Max impact rate: 22500bpm Max torque: 20Nm Plastic chuck Chuck capacity: 0.8-10mm(1/32- 3/8") Torque settings: 18+1+1 Integrated LED work light Include: 1 Pcs Cr-V 65mm bit 3 Pcs masonry drill bits 2 Pcs 1.5Ah battery pack(FBLI12153) Battery charging port:USB type-C Charger sold separately Packed by carrying case	5	4480
27	CDLI122061		Cordless Drill	Voltage: 12V No-load speed: 0-400/0-1500rpm Max torque: 20Nm Plastic chuck Chuck capacity: 0.8-10mm Torque settings: 15+1 Mechanical 2-speed gear Integrated LED work light	5	2490
28	CIDLI12206		Cordless Impact Drill	Voltage: 12V No-load speed: 400/0-1500rpm Max impact rate: 22500bpm Max torque: 20Nm Plastic chuck Chuck capacity: 0.8-10mm(1/32-3/8") Torque settings: 18+1+1 Integrated LED work light Packed by carrying case	5	4290
29	CIDLI201452		Cordless impact drill	Voltage: 20V No-load speed: 0-400/0-1500rpm Max impact rate: 22500bpm Max torque: 45Nm Metal chuck Chuck capacity: 0.8- 10mm Torque settings: 18+1+1 Mechanical 2-speed gear Spindle lock function Auto-lock keyless chuck Include: 47 Pcs accessories, 3 Pcs masonry drill bits, 2 Pcs 2.0Ah battery pack(FBLI20011) 1 Pcs	5	7425
30	CDLI20668		Compact Brushless Cordless Drill	Brushless motor Voltage: 20V No-load speed: 0-500/0-2000rpm Max torque: 66Nm Metal chuck Chuck capacity: 13mm Torque settings: 22+1 Mechanical 2-speed gear Spindle lock function Integrated LED work light Include: 47 Pcs accessories 2 Pcs 2.0Ah battery pack(FBLI20011) 1 Pcs charger(FCLI20011)	5	8790







31	CIDLI20668		Compact Brushless Cordless Impact Drill	Brushless motor Voltage: 20V No-load speed: 0-500/0-2000rpm Max impact rate: 30000bpm Max torque: 66Nm Metal chuck Chuck capacity: 13mm Torque settings: 22+1+1 Mechanical 2-speed gear Spindle lock function Integrated LED work light LED battery power indicator	5	9300
32	CIDLI20558		Compact Brushless Cordless Impact Drill	Brushless motor Voltage: 20V No-load speed: 0-500/0-2000rpm Max impact rate: 30000bpm Max torque: 55Nm Metal chuck Chuck capacity: 13mm Torque settings: 22+1+1 Mechanical 2-speed gear Spindle lock function Integrated LED work light LED battery power indicator Include: 2 Pcs 2.0Ah battery pack (FBLI20011), 1 Pcs charger(FCLI2001), Charge volts: 220-240V~50/60Hz 47 Pcs accessories, 3 Pcs masonry drill bits Packed	5	7876
33	CDLI200518		Cordless drill	Voltage: 20V No-load speed: 0-400/0-1500rpm Max torque: 45Nm Plastic chuck Chuck capacity: 0.8- 10mm Torque settings: 15+1 Mechanical 2- speed gear Spindle lock function Integrated LED work light LED battery power indicator Include:	5	4690
34	CDLI12428	 <p>Charger sold separately</p>	Cordless drill	Voltage:12V No-load speed:0-750rpm Max torque:20NM Plastic chuck Chuck capacity:0.8-10mm Torque settings:15+1 Integrated work light With 1pcs 1.5Ah battery pack(FBLI12153) Battery charging port: USB type-C Charger sold	10	2390
35	CDLI20024		Cordless drill	Voltage:20V No-load speed:0-400/0-1500rpm Max torque:45NM Chuck capacity:0.8- 10mm Torque settings:15+1 Mechanical 2-speed gear Include: 1 Pcs 2.0Ah battery pack(FBLI2001), 1 Pcs charger(FCLI2001E), Charge volts:220-240V~50/60Hz Integrated work light	5	7100
36	CDLI12202	 <p>Charger sold separately</p>	Cordless drill	Voltage: 12V No-load speed: 0-400/0-1500rpm Max torque: 20Nm Plastic chuck Chuck capacity: 0.8- 10mm Torque settings: 15+1 Mechanical 2- speed gear Integrated LED work light	5	3580
37	CDLI12456	 <p>Charger sold separately</p>	Cordless drill	Voltage: 12V No-load speed: 0-750 Max torque: 20Nm Plastic chuck Chuck capacity: 0.8- 10mm Torque settings: 15+1 Mechanical 2- speed gear Integrated LED work light	10	1890







38	CDLI1218	 <p>12V 20N.m 1.5Ah X1</p>	Cordless drill	<p>Voltage: 12V No-load speed: 0-750rpm Max torque: 20NM Plastic chuck Chuck capacity: 0.8-10mm</p>	10	2810
39	CSDLI0442	 <p>4V 19PCS/SET 4N.m TYPE-C</p>	Cordless screwdriver	<p>Voltage: 4V Hex shank: 1/4" No-load speed: 240rpm Max torque: 4N.m Two positions adjustable handle Charging via USB type-C cable (cable sold separately) Integrated work light</p>	20	1510
40	CDRLI2060152	 <p>P20S 65N.m 3/8" 2.0Ah X1</p>	Cordless drive ratchet	<p>Voltage: 20V Max.torque: 65Nm Square Drive: 3/8" No-load speed: 250rpm Include: 3 Pcs sockets (13, 17, 19mm) 1 Pcs 2.0Ah battery pack (FBLI2001) 1 Pcs charge (FCLI2001E) Charge volts: 220-240V~50/60Hz Packed by carrying case</p>	5	8410
41	DDM28001	 <p>2800W Ø200mm Spindle thread: M22</p>	Diamond drilling machine	<p>Voltage: 220-240V~50/60Hz Input power: 2800W No-load speed: 800rpm Max. drilling diameter: 200mm Spindle thread: M22 With drilling stand With 1 set carbon brushes With leakage protection switch Packed by carton box</p>	3	25100
42	ID8108	 <p>810W 13mm</p>	Impact drill	<p>Voltage: 220-240V~50/60Hz Input power: 810W No-load speed: 0-2800rpm Max.drilling capacity: 13mm Variable speed control</p>	10	3290
43	ID211008	 <p>1100W 16mm 2 Gears</p>	Impact drill	<p>Voltage: 220-240V~50/60Hz Input power: 1100W No-load speed: 0-1200rpm/0-3000rpm Max.drilling capacity: 16mm Variable speed control Forward/Reverse action Hammer function Aluminum 2 mechanical gear box With 1set extra carbon brushes Packed by color box</p>	5	7212
44	ID7108	 <p>710W 13mm</p>	Impact drill	<p>Voltage: 220-240V~50/60Hz Input power: 710W No-load speed: 0-3000rpm Max.drilling capacity: 13mm Variable speed control Forward/Reverse switch Hammer function Packed by color box</p>	10	2661








45	ID7118	 <p>710W 13mm</p>	Impact drill	<p>Voltage: 220-240V~50/60Hz Input power: 710W No-load speed: 0-3000rpm Max.drilling capacity: 13mm Variable speed control Forward/Reverse switch Hammer function Packed by color box</p>	10	2661
46	ID6808	 <p>680W 13mm</p>	Impact drill	<p>Voltage:220-240V~50/60Hz Input power:680W No-load speed:0- 3000rpm Max.drilling capacity:13mm Variable speed control Forward/Reverse switch Hammer function</p>	10	2616
47	ED50028	 <p>500W 10mm</p>	Electric drill	<p>Voltage:220-240V~50/60Hz Input power:500W No-load speed:0- 3300rpm Max.drilling capacity:10mm Variable speed control Forward/Reverse switch With 1set extra carbon brushes Packed by color box</p>	10	2334
48	ED55038	 <p>550W 10mm</p>	Electric drill	<p>Voltage: 220-240V~50/60Hz Input power: 550W No-load speed: 0-3300rpm Max.drilling capacity: 10mm Variable speed control Forward/Reverse switch With 1set extra carbon brushes Packed by color box</p>	10	2334
49	ED4508	 <p>450W 6.5mm</p>	Electric drill	<p>Input power:450W No-load speed:0-4300rpm Max.drilling capacity:6.5mm Variable speed control Forward/Reverse switch</p>	10	2430
50	HG200078	 <p>2000W</p>	Heat gun	<p>Voltage: 220-240V~50/60Hz Input power: 2000W Temperature:50/450°C/550°C Airflow:450/300/450 L/min 3 temperature settings Include: 1 Pcs reduction nozzle, 1 Pcs reflector nozzle, 1 Pcs flat nozzle 1 Pcs scraper Packed by color box</p>	10	1890
51	CCGLI2001	 <p>P2DS 254mm(10") 3700N</p> <p>Battery and charger sold separately</p>	Cordless caulking gun	<p>Voltage: 20V Thrust: 3700N Cartridge size: 25.4cm(10") Gluing speed: 0.5-4.4mm/s Trigger: variable speed No load current: 0.35A Battery and charger sold separately Packed by color box</p>	6	6790








52	CSLI14021		Cordless circular saw	Brushless motor Voltage:20V No-load speed:6300rpm Blade diameter:140mm(5-1/2") Arbor size:20mm Adjustable cutting depth Adjustable bevel cutting Cutting capacity: 45°degree:33mm 90°degree:50mm Include: 1 Pcs 140mm blade 1 Pcs 4.0Ah battery pack(FBLI2002) 1 Pcs charger(FCLI2001) Charge volts: 220-240V~50/60Hz Packed by color box	4	9490
53	CAGLI76012		Cordless mini cut-off tool	Voltage: 20V No-load speed: 19500rpm Disc diameter: 76mm(3") Spindle thread: M6 Include: 4 Pcs 76mm abrasive metal cutting disc 2 Pcs 76mm abrasive metal grinding disc 1 Pcs 76mm wet diamond disc 1 Pcs HEX key 1 Pcs 2.0Ah battery pack(FBLI20011) 1 Pcs charger(FCLI2001) Charge volts: 220-240V~50/60Hz Packed by carrying case	4	6550
54	CAGLI211041		Cordless angle grinder	Voltage: 20V No-load speed: 3000/6000/9000rpm Variable speed control Disc diameter: 100mm Spindle thread: M10 Include: 1 Set 100mm abrasive metal cutting disc(10 Pcs) 1 Pcs 4.0Ah battery	4	8890
55	CAGLI261021		Cordless angle grinder	Brushless motor Voltage: 20V Max input power: 900W No-load speed: 3000/6000/9000rpm Disc diameter: 100mm Spindle thread: M10 Include: 1 Set abrasive metal cutting disc(5 Pcs), 1 Pcs 4.0Ah battery pack(FBLI20021), 1 Pcs charger(FCLI2001), Charge volts: 220-240V~50/60Hz Packed by color box	3	6750
56	CAGLI21104		Cordless angle grinder	Brushless Motor Voltage:20V No-load speed:3000/6000/9000rpm Disc diameter:100mm Spindle thread:M10 Disc not included Battery and charger sold separately Packed by color box	6	4125
57	AP140016		Polisher	Voltage:220-240V~50/60Hz Input power:1400W No-load speed:1500- 3600rpm Polishing pad diameter:180mm Spindle Type : M14 Variable speed control Lock-on switch Aluminum gear box With 1pcs D-	6	6502
58	AG240082		Angle grinder	Input power:2400W No-load speed:8000rpm Disc diameter:180mm Spindle thread:M14 With 1pcs auxiliary handle With 1set extra carbon brushes Disc not included Packed by color box	2	6817








59	AG200018	 <p>2000W Ø180mm(7") M14 180mm(7")</p>	Angle grinder	Voltage:220-240V~50/60Hz Input power:2000W No-load speed:8450rpm Disc diameter:180mm Spindle thread:M14 With 1pcs auxiliary handle With 1set extra carbon brushes	2	6817
60	AG220018	 <p>2200W Ø230mm(9") M14 230mm(9")</p>	Angle grinder	Voltage:220-240V~50/60Hz Input power:2200W No-load speed:6600rpm Disc diameter:230mm Spindle thread:M14 With 1pcs auxiliary handle With 1set extra carbon brushes	2	9375
61	AG24008	 <p>2400W Ø230mm(9") M14 230mm(9")</p>	Angle grinder	Input power:2400W No-load speed:6400rpm Disc diameter:230mm Spindle thread:M14 With 1pcs auxiliary handle With 1set carbon brushes Disc not included Packed by color box	2	9375
62	AG900285	 <p>900W Ø125mm(5") M14 125mm(5") Variable Speed</p>	Angle grinder	Input power:900W No-load speed:5000- 12000rpm Disc diameter:125mm Spindle thread:M14 With 1pcs auxiliary handle Variable	6	3725
63	AG900282	 <p>900W Ø100mm(4") M10 100mm(4")</p>	Angle grinder	Voltage:220-240V~50/60Hz Input power:900W No-load speed:12000rpm Disc diameter:100mm Spindle thread:M10 With 1pcs auxiliary handle Disc not included	6	2819
64	AG750282	 <p>750W Ø100mm(4") M10 100mm(4")</p>	Angle grinder	Voltage:220-240V~50/60Hz Input power:750W No-load speed:12000rpm Disc diameter:100mm Spindle thread:M10 With 1pcs auxiliary handle Disc not included Packed by color box	10	2593
65	AG71182	 <p>710W Ø100mm(4") M10 100mm(4")</p>	Angle grinder	Voltage: 220-240V~50/60Hz Input power: 710W No load speed: 12000rpm Disc diameter: 100mm Spindle thread: M10	10	2510








66	MG13328	 <p>130W Variable Speed 109Pcs Accessories:</p>	Mini grinder	<p>Voltage:220-240V~50/60Hz Input power:130W No-load speed:10000- 35000rpm Collet size:3.2mm/2.3mm Variable speed control With 1pcs flexible shaft With 109pcs accessories</p>	5	2481
67	MG133281	 <p>252PCS/BOX</p>	Mini grinder	<p>Voltage: 220-240V~50/60Hz Input power: 130W No-load speed: 10000-35000rpm Collet size: 3.2/2.3mm Variable speed control Include: 1 Pcs flexible shaft 251 Pcs accessories</p>	5	4125
68	PDG5501		Die Grinder	<p>Voltage: 220-240V ~ 50 / 60Hz Input Power: 550W No Load Speed: 29,000 rpm Size of Tweezers: 6 mm Gearbox Material: Aluminum Included Accessories: 3 mounted tips</p>	5	4612
69	BG61502	 <p>150W 150mm(6")</p>	Bench grinder	<p>Voltage:220-240V~50Hz Input power:150W No-load speed:2950rpm Wheel size:150mm Adjustable work rest Heavy duty aluminum base Include 1set eye shields Include 1pcs tool storage box Packed</p>	1	3440
70	BG83502	 <p>350W 200mm(8") Heavy Duty Aluminum Base</p>	Bench grinder	<p>Input power:350W No-load speed:2950rpm Wheel size:200mm Adjustable work rest Heavy duty aluminum base Include</p>	1	6755
71	CTVLI20018	 <p>P203 100Pcs 1.5mm 100Pcs 2.0mm 100Pcs 2.5mm x10 60kg 130mm(5-1/9") 2.0Ah x1</p>	Cordless tile vibration machine	<p>Voltage:20V Vibrational frequency:0-10000rpm Adsorbability:60kg Suction Cup Diameter:130mm Speed adjustment:6-speed Charge volts:220-240V~50/60Hz With 1pcs 2.0Ah battery pack(FBLI20011) With 1pcs charger(FCLI2001) With 1pcs kneepads With 1pcs putty trowel With 1 Set 1.5mm tile spacer With 1 Set 2.0mm tile spacer With 1 Set 2.5mm tile spacer With 1 Set 1.0mm tile leveler</p>	5	7290

72	CCVLI2023011		Lithium-Ion Cordless Concrete	<p>Rated Voltage: 20V Button Specifications: Diameter 35 x 1200mm No-Load Speed: 2300rpm Accessories Included: 1 x Pc vibrator poker 1 x Pc 2.0Ah battery pack (FBLI2001) 1 x Pc charger (FCLI2001E)</p>	3	9320
73	DP133505		Drill press	<p>Voltage:220-240V~50Hz Input power:350W No-load speed:580- 2650rpm Max.drilling capacity:13mm Adjustable working table Spindle speed settings:5 Spindle travel:50mm Column diameter:46mm Table size:160mmx160mm Base size:291mmx183mm Net</p>	1	10900
74	CABLI2078		LI-ION BLOWER	<p>Voltage: 20V No-load speed: 18000rpm Max air volume: 2.7m³/min Packed by color box *Battery and Charger Not included</p>	4	1490
75	CABLI20028		Cordless blower	<p>Voltage: 20V No-load speed: 18000rpm Max air volume: 2.7m³/min Battery and charger sold separately Packed by color box</p>	4	1690
76	CABLI200281		Cordless blower	<p>Voltage: 20V No-load speed: 18000rpm Max air volume: 2.7m³/min Include: 1 Pcs 2.0Ah battery</p>	4.00	3840
77	CABLI200181		Cordless blower	<p>Voltage:20V No-load speed:0-9000/0-18000rpm Max air volume:2.7m³/min 2 speed adjustment Variable speed trigger Include: 1 Pcs 2.0Ah battery pack(FBLI20011) 1 Pcs charger(FCLI2001)</p>	4	5580
78	CABLI203235		Cordless blower	<p>Voltage:20V No-load speed :15000rpm Average air volume:8.5m³/min Maximum air speed:115km/h Include: 1 Pcs 2.0Ah battery pack(FBLI20011) 1 Pcs charger(FCLI2001)</p>	2	5540








79	AB8008		Aspirator blower	Voltage:220-240V~50/60Hz Input power:800W No-load speed:0- 15000rpm Blowing rate:0-4.5m³/min Variable speed control With 1pcs dust bag With 1pcs flexible tube With 2pcs suction nozzles With 1set extra carbon brushes Packed	4	4312
80	AB6008		Aspirator blower	Voltage:220-240V~50/60Hz Input power:600W No-load speed:0- 16000rpm Blowing rate:0-3.5m³/min Variable speed control With 1pcs dust bag Packed by color box	6	2940
81	AB6038		Aspirator blower	Voltage: 220-240V~50/60Hz Input power: 650W No-load speed: 0- 16000rpm Blowing rate: 0-4.0m³/min Variable speed control Cable length: 2m Include: 1Pcs dust bag Packed by	4	2320
82	AB4018		Aspirator blower	Input power:400W No-load speed:14000rpm Max.blowing rate:3.0m³/min With 1pcs dust bag	4	1760
83	AB4038		Aspirator blower	Input power: 400W No-load speed: 14000rpm Max.blowing rate: 3.2m³/min Cable length: 2m Include: 1Pcs dust bag Packed by color box No- load speed: 0-1300/0- 2300rpm Impact rate: 0- 2000/0-	4	1740
84	AB8038		Aspirator blower	Voltage:220-240V~50/60Hz Input power:800W No-load speed:0-15000rpm Blowing rate:0-4.5m³/min Variable speed control With 1pcs dust bag With 1pcs flexible tube With 2pcs suction nozzles With 1set extra carbon brushes	4	4490
85	COS243558		Cut off saw	Voltage:220-240V~50/60Hz Input power:2400W No-load speed:3900rpm Blade size:355mmx25.4mm Max.cutting capacity: 100mm in round pipe 100mmx100mm in square steel 120mmx100mm in rectangle Max.cutting steel bar:50mm With 1pcs 355mm cutting disc Packed by color	1	12053








86	COS223558	<p>2200W Ø355mm(14")</p> 	Cut off saw	<p>Voltage: 220-240V~50/60Hz Input power: 2200W No-load speed: 3700rpm Blade size: 355mmx25.4mm Max. cutting capacity: 100mm in round pipe 100x100mm in square steel 120x100mm in rectangle Max. cutting steel bar: 50mm</p>	1	10208
87	BMS18007	<p>1800W Ø255mm</p> 	Mitre saw	<p>Voltage: 220-240V~50/60Hz Input power: 1800W No-load speed: 5300rpm Blade size: 255mmx25.4mm Cutting capacity: Mitre/Bevel:HeightxWidth 0°x0°:H70mmxW140mm 45°x0°:H70mmxW100mm 0°x45°:H48mmxW135mm</p>	1	17086
88	BM2S24007	<p>2400W Ø305mm(12")</p>  <p>Double belt transmission</p>	Mitre saw	<p>Voltage:220-240V~50/60Hz Power:2400W Blade size:305mmx30mm No-load speed:4500rpm Cutting capacity:Mitre/Bevel:WidthxHeight 0°x0°:H95mmxW310mm 45°x0°:H95mmxW210mm 0°x45°:H57mmxW310mm 45°x45°:H57mmxW210mm With 1set extra carbon brushes With 2pcs extension bars With 1pcs TCT blade With 1pcs dust bag Backed by color box</p>	1	32200
89	MC14008	<p>1400W Ø110mm</p>  <p>Lock-on button</p>	Marble cutter	<p>Voltage:220-240V~50/60Hz Input power:1400W No-load speed:13000rpm Diameter of blade: 110x20mm Max.cutting capacity:34mm Adjustable cutting depth Include 1pcs dry diamond disc Packed by color box</p>	4	4806
90	MC140068	<p>1400W Ø110mm (4-3/8")</p>  <p>Lock-on button</p>	Marble cutter	<p>Voltage:220-240V~50/60Hz Input power:1400W No-load speed:13000rpm Diameter of blade: 110x20mm Max.cutting capacity:34mm Adjustable cutting depth Include 1pcs dry diamond disc Packed by color box</p>	4	4920
91	CS18538	<p>1400W 185mm(7-1/4")</p> 	Circular saw	<p>Voltage: 220-240V~50/60Hz Input Power:1400W No-load speed:4800rpm Blade diameter:185x20mm Cutting capacity: 45 degree:45mm 90 degree:65mm Adjustable cutting depth Adjustable bevel cutting With 1pcs 185mm blade With 1set extra carbon brushes Packed</p>	2	6127
92	CS18568	<p>1600W 185mm(7-1/4")</p> 	Circular saw	<p>Input power:1600W No-load speed:5000rpm Blade diameter:185x20mm Cutting capacity: 45 degree:45mm 90 degree:65mm Adjustable</p>	2	6705








93	PDB17008	 <p>1700W 16kg(35.2lbs) SDS HEX</p>	Demolition breaker	<p>Voltage:220-240V~50/60Hz Input power:1700W Impact rate:1400bpm Impact force:45J HEX chuck system 16Kgs demolition breaker With 2pcs chisels With 1set extra carbon brushes Packed by BMC</p>	1	18250
94	PDB15006	 <p>1500W 10.5kg(22lbs) SDS MAX</p>	Demolition breaker	<p>Voltage:220-240V~50/60Hz Input power:1500W Impact rate:1000- 1900bpm Impact force:6- 25J Anti- vibration system Auto-stop carbon brushes Constant electronics power Chisel- locking system SDS-MAX chuck</p>	1	21648
95	PDB130018	 <p>1300W 7kg(15.4lbs) SDS HEX</p>	Demolition breaker	<p>Voltage:220-240V~50/60Hz Input power:1300W Impact rate:3800bpm Impact force:20J Anti-vibration system HEX chuck system 7Kgs demolition breaker With 2pcs chisels</p>	2	10893
96	RH150068	 <p>1500W 32mm(1-1/4") One button with 4 functions</p>	Rotary hammer	<p>Voltage:220-240V~50/60Hz Input power:1500W No load speed:850rpm Impact rate:4400bpm Impact energy:5.5J Max.drilling</p>	2	9085
97	RH150038	 <p>1500W 32mm(1-1/4")</p>	Rotary hammer	<p>Voltage:220-240V~50/60Hz Input power:1500W No-load speed:950rpm Impact rate:4500bpm Impact energy:5.5J Max.drilling capacity: Concrete:32mm Steel:13mm Wood:40mm SDS plus chuck system Anti-vibration system With 3 drills and 2 chisels Packed by BMC</p>	2	8690
98	RH10508	 <p>1050W 28mm</p>	Rotary hammer	<p>Voltage:220-240V~50/60Hz Input power:1050W No-load speed:900rpm Impact rate:4000bpm Impact energy:5J Max.drilling capacity: Concrete:28mm Steel:13mm Wood:40mm SDS plus chuck system With 3 drills and 2 chisels With 1set extra carbon brushes</p>	2	7320
99	RH150028	 <p>1500W 32mm(1-1/4")</p>	Rotary hammer	<p>Voltage:220-240V~50/60Hz Input power:1500W No-load speed:850rpm Impact rate:4400bpm Impact energy:5.5J Max.drilling capacity: Concrete:32mm Steel:13mm Wood:40mm SDS plus chuck system Anti-vibration system With 3 drills and 2 chisels With 1set extra carbon brushes</p>	2	8050








100	RH10506	 <p>1050W 26mm(1")</p>	Rotary hammer	<p>Voltage:220-240V~50/60Hz Input power:1050W No-load speed:1100rpm Impact rate:3800bpm Impact energy:4.5J Max.drilling capacity: Concrete:26mm Steel:13mm Wood:40mm SDS plus chuck system With 3 drills</p>	2	7320
101	RGH9028-2	 <p>800W 26mm(1")</p> <p>With 1pcs keyless quick-change chuck</p>	Rotary hammer	<p>Voltage:220-240V~50/60Hz Input power:800W No-load speed:0- 1100rpm Impact rate:0- 4000bpm Impact energy:2.5J Max.drilling capacity: Concrete:26mm Steel:13mm Wood:30mm SDS plus chuck system With 3 drills</p>	4	6890
102	RGH9028	 <p>800W 26mm(1")</p>	Rotary hammer	<p>Voltage:220-240V~50/60Hz Input power:800W No-load speed:0- 1100rpm Impact rate:0- 4000bpm Impact energy:2.5J Max.drilling capacity: Concrete:26mm Steel:13mm Wood:30mm SDS plus chuck system With 3 drills</p>	5	5700
103	RGH6528	 <p>650W 22mm(7/8")</p>	Rotary hammer	<p>Input power:650W No-load speed:0-1700rpm Impact rate:0- 5500bpm Impact energy:1.7J Max.drilling capacity: Concrete:22mm Steel:10mm Wood:25mm SDS plus chuck system With 3 SDS- PLUS drills</p>	5	4910
104	CRHLI202682	 <p>P20S BL MOTOR 26mm(1")</p> <p>4 Functions</p> <p>2 Pcs 4.0Ah battery pack (FBLI20021) 1 Pcs charge (FCLI2001)</p>	Cordless rotary hammer	<p>Brushless motor Voltage:20V No-load speed:0-1100rpm Impact rate:0- 5000bpm Single impact force:2.5J Max.drilling capacity: Concrete: 26mm Steel: 13mm Wood: 30mm SDS plus chuck system Integrated LED work light Include: 3 Pcs drills 1 Pcs chisel 2 Pcs 4.0Ah battery pack(FBLI20021) 1 Pcs charge(FCLI2001) Charge volts:220-240V~50/60Hz Packed by carrying case</p>	4	13050
105	CRHLI20208	 <p>P20S BL MOTOR 22mm(7/8")</p> <p>4 Functions</p> <p>Battery and charger sold separately</p>	Cordless rotary hammer	<p>Voltage: 20V No-load speed: 0-1100rpm Impact rate: 0- 5400bpm Impact energy: 2.0J Max.drilling capacity: Concrete: 22mm Steel: 13mm Wood: 28mm SDS Plus chuck system Integrated LED work light Include:</p>	5	6525
106	CRHLI212282	 <p>P20S BL MOTOR 20V 4.0Ah</p>	Cordless rotary hammer	<p>Brushless motor Voltage:20V No-load speed:0-1350rpm Impact rate:0-4700bpm Impact energy:2J Max drilling capacity:Φ22 in concrete Integrated work light SDS plus chuck system With 2pcs 4.0Ah battery pack With 1pcs charger With 3pcs drills and 1pcs chisel Charge volts:220-240V~50/60Hz Packed by canvas bag</p>	4	12650








107	CRHLI201681	<p>P20S 16mm (5/8") 2 Functions 2.0Ah X1</p>	Cordless Hammer Drill	<p>Voltage:20V No-load speed:0-850rpm Impact rate:0-5100bpm Impact energy:1.5J Max drilling capacity:Φ16 in concrete SDS plus chuck system Integrated LED work light Include: 3 Pcs drills 1 Pcs 2.0Ah battery pack(FBLI20011) 1 Pcs charger(FCLI2001) Packed by carrying case</p>	4	7930
108	CMLI20228	<p>P20S 2.0Ah X1</p>	Cordless Multi-Tool	<p>Rated Voltage: 20V No-load Speed: 5000-20000 rpm Oscillation Angle: 3.2° Speed Settings: 6-Speed Adjustment Included Accessories: 1 x Multi Tool 1 x Flexible Scraper 1 x Cutting Saw Blade 1 x Segment Saw Blade 1 x Hex Key 1 x Sanding Base 3 x Sanding Papers 1 x 2.0Ah Battery Pack (FBLI20011) 1 x Charger (FCLI2001) Charge Voltage: 220-240V-50/60Hz</p>	3	6610
109	CSGLI20042	<p>P20S 120DIN-s Paint(50DIN): 325ml/min Water: 800ml/min Pure copper 2.0Ah X1</p>	Cordless spray gun	<p>Voltage: 20V Spraying pressure: 0.1-0.2Bar Max.flow: 800ml/min Max.viscosity: 120DIN-s Container capacity: 1000ml Adjustable spray amplitude Include: 1 Pcs dust blower nozzle 1 Pcs viscosity measuring cup 1 Pcs nozzle cleaning needle 2 Pcs copper nozzle 1 Pcs 2Ah battery pack (FBLI20011) 1 Pcs charger (FCLI2001) Charge volts: 220V-240V-50/60Hz Packed by color box</p>	4	6025
110	SPG5008	<p>550W 120DIN-s Paint(50DIN):300ml/min Water:900ml/min</p>	HVLP spray gun	<p>Input power:550W Spraying Pressure:0.1- 0.2Bar Max. flow:850ml/min Max. viscosity:50DIN-s Container capacity:800ml Power cord length:2.0m With 1pcs viscosity</p>	2	3563
111	SPG3508	<p>450W 120DIN-s Paint(50DIN):240ml/min Water:800ml/min</p>	Spray gun	<p>Voltage:220-240V~50/60Hz Input power:450W Spraying Pressure:0.1- 0.2Bar Max. flow:550ml/min Max. viscosity:120DIN-s Container capacity:800ml With 1pcs viscosity measuring cup</p>	8	2481
112	CSGLI20406	<p>P20S Max. Viscosity: 120DIN-s 2.0Ah X1</p>	Lithium-ion spray gun	<p>Voltage :20V Spraying Pressure:0.1- 0.2Bar Max.flow :800ml/min Max.viscosity :120DIN-s Container capacity :800ml Charge volts:220V- 240V~50/60Hz With 1pcs viscosity</p>	8	6061







113	ASG4041	 <p>400cc Base Coat 1.5mm</p>	Air spray gun	Standard nozzle:1.5mm Pattern width:180-250mm Paint capacity:400cc Suitable for base coat With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Optional nozzle:1.2-1.8mm Operating	10	1297
114	ASG4042	 <p>400cc Base Coat 1.5mm</p>	Air spray gun	Standard nozzle:1.5mm Pattern width:180-250mm Paint capacity:400cc Suitable for base coat With Europe type connector,	10	1490
115	ASG3101	 <p>1000cc Base Coat 1.5mm</p>	Air spray gun	Standard nozzle:1.5mm Pattern width:140-180mm Paint capacity:1000cc Suitable for base coat With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Optional nozzle:1.2-1.8mm Operating pressure:3-4bar	10	1590
116	ASG1061	 <p>600cc Finishing Coat HVLP 1.4mm</p>	Air spray gun	Standard nozzle:1.4mm Pattern width:180-250mm Paint capacity:600cc Suitable for finishing coat With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Optional nozzle:1.3-2.5mm Operating pressure:2-3.5bar	10	2029
117	ASG3105	 <p>1000cc Base Coat 1.8mm</p>	Air spray gun	Standard nozzle:1.8mm Pattern width:180-250mm Paint capacity:1000cc Suitable for base coat	10	1690
118	AWG1001	 <p>750cc 21mm</p>	Air washing gun	Nozzle size:215mm Washing capacity:0.75L With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Operation pressure:4bar	10	755
119	AKT0053-3	 <p>5PCS/SET Only with Nitto type connector</p>	5 Pcs air tools set	Air tools 5pcs set Only with Nitto type connector. Recoil hose Length:4m,Diameter:8mm Air blow gun Nozzle length:16mm Air spray gun Operating pressure:3-4bar Paint capacity:600cc Pattern width:180-250mm Air washing gun Operation pressure:4bar Washing capacity:750cc Air tire inflating gun	10	2398








120	VC14122		Vacuum cleaner	Voltage: 220V-240V~50/60Hz Input power: 800W Copper wire motor Metal tank Dust capacity:12L Air flow:1.7m3/min Vacuum pressure:16KPa 1.5m flexible hose Plastic three parts tube 1pcs plastic floor brush 1set 2 in 1 brush 2.3m cord length HEPA filter	1	5054
121	VC13301		Vacuum cleaner	220V-240V~50/60Hz Input power: 1300W Air flow:1.8CBM/Min Vacuum pressure:≥18KPa Dust capacity:30L Without power tools socket Power cable:1.8m	1	7412
122	VC14301		Vacuum cleaner	Voltage: 220V-240V~50/60Hz Input power: 1400W Air flow:1.9CBM/Min Vacuum pressure:16- 18KPa Dust capacity:30L 1pcs flexible hose 1pcs floor brush 1set plastic tube 1pcs HEPA filter Tank material:stainless steel Power cable:1.8m With power tools socket Wet and dry	10	10846
123	CVLI201261		Cordless vacuum cleaner	Voltage:20V Dust Capacity:0.5L Vacuum Pressure: ≥9kPa With 1 pcs crevice nozzle With 1 pcs dust brush Packed by color box	8	2160
124	CVLI20126		Cordless vacuum cleaner	Voltage: 20V Dust capacity: 0.5L Vacuum pressure: >9kpa Include: 1 Pcs 2.0Ah battery pack(FBLI2001) 1 Pcs fast charger(FCLI2001E) Charge volts: 220-240V~50/60Hz 1 Pcs crevice nozzle 1 Pcs dust brush(with soft bristles)	8	5390
125	CPWLI20082		CORDLESS PRESSURE WASHER	Voltage: 20V Max pressure: 24.8Bar Flow rate: 2.2L/min Auto stop system Include: 1 Set 6- pattern spray gun 1 Pcs 6m water inlet hose with quick connector	2	10500
126	HPWR12008		High pressure washer	Carbon brush motor Input power:1200W Max Pressure:90Bar (1300PSI) Flow rate:5.5L/min	1	6578

127	HPWR14008	<p>1400W 130Bar 5.5L/min Carbon Brush Motor</p> 	High pressure washer	Carbon brush motor Pure copper wire Input power:1400W Max Pressure:130Bar (1900PSI) Flow rate:5.5L/min Auto stop system 1 set water spray gun (AMSG028)	1	7724
128	HPWR18008	<p>1800W 150Bar 6L/min Carbon Brush Motor</p> 	High pressure washer	Carbon brush motor Pure copper wire Input power:1800W Max Pressure:150Bar (2200PSI) Flow rate:6.0L/min Auto stop system 1pcs soap bottle 1 set water spray gun (AMSG028)	1	11771
129	HPWR15028	<p>1500W 100Bar 6.7L/min Induction Motor</p> 	High pressure washer	Voltage: 220-240V~50Hz Copper wire induction motor Input power:1500W Max Pressure:100Bar (1450PSI) Flow rate:6.7L/min 1 set water spray gun	1	12218
130	WLC30001	<p>3000W Ø130mm</p> 	WALL CHASER	Input power:3000W No-load speed:7000rpm Disc diameter:130mm Spindle thread:M20 Cutting depth:10-40	1	21905
131	WLC15008	<p>1500W Ø125mm</p> 	Wall chaser	Voltage:220-240V~50/60Hz Input power:1500W No load speed:9000rpm Disc diameter:125mm Spindle	2	12365
132	PLM6001	<p>600W</p> 	Laminate trimmer	Voltage:220-240V~50/60Hz Input power:600W No- load speed:34500rpm Collet size:6mm and 1/4" With 1pcs template guide With 1set trimmer	14	4450
133	PLM5002	<p>500W</p> 	Laminate trimmer	Voltage:220-240V~50/60Hz Input power:500W No- load speed:33500rpm Chuck diameter:6mm and 1/4" With 1pcs template guide With 1set	6	3936







134	PL5508		Electric planer	Voltage: 220-240V~50/60Hz Input power: 550W No-load speed: 16000rpm Planning width&depth: 82x1mm Heavy duty aluminum base Aluminum side cover Include: 1 Pcs socket wrench 1 Pcs parallel guide Packed by color box	8	4480
135	GT3512		Grass trimmer	Voltage:220V-240~50Hz Input power:350W Telescoping shaft No load speed: 11000rpm Cutting diameter:250mm Comfortable and large gripping Packed by color box	2	3320
136	CGTLI20301		Cordless Grass Trimmer	Voltage:20V No-load speed:8200rpm Cutting diameter:300mm Line dia:1.6mm twisted Line length:5m Edging function Include: 1 Pcs safety goggles 1 Pcs PU Coated Gloves 1 Pcs 2.0Ah battery pack(FBLI20011) 1 Pcs charger(FCLI2001) Charge volts: 220-240V~50/60Hz Packed by color box	2	6975
137	HTC04600		Tile cutter	Tile cutter Max cutting length:600mm Max cutting thickness : 12mm Steel base size:815x195cm Thickness	4	3225
138	HTC04601		Tile cutter	Tile cutter Max cutting length:600mm Max cutting thickness:14mm Blade size:22x6x2mm Hollow sedan lods Net weight: 6.7kg Steel base size : 820X200mm Aluminium sliders	2	3620
139	HTC04601B		Tile cutter blade	Tile cutter blade Material:tungsten carbide Blade size:Ø22xØ6x2mm Suitable for HTC04601 HTC04801	20	266
140	AAC1408		Auto air compressor	Voltage:12V Current:10A Max pressure:140PSI/10BAR Max air flow:35L/min Integrated work light With 1pcs 3m cord with cigarette lighter With 1pcs battery clips With 4pcs adapters Packed by color	8	2408








141	AAC2508		Auto air compressor	Voltage:12V Current:18A Max pressure:120PSI/8BAR Integrated work light With 1pcs battery clips With 4pcs adapters With 1pcs 5m air hose with a brass quick- releasing adapter	4	4290
142	JS57028		Jig saw	Voltage: 220-240V~50/60Hz Input power: 570W No-load speed: 800- 3000rpm Cutting capacity: Wood: 65mm Steel: 8mm Variable speed control 4 step pendulum function	5	3262
143	JS80028		Jig saw	Voltage:220-240V~50/60Hz Input power:800W No- load speed:800- 3000rpm Cutting capacity: Wood:100mm Steel:10mm Variable speed control	5	5040
144	RT12008		Electric router	Voltage:220-240V~50/60Hz Input power:1200W No load speed:26000rpm Collet size:6mm,8mm,1/4" Plunge capacity:0- 30mm With 1pcs guide holder With 1pcs template guide With 1set extra carbon brushes	2	6670
145	RT160028		Electric router	Voltage:220-240V~50/60Hz Input power:1600W No-load speed:22000rpm Collet size:6mm,8mm,12mm,1/4",1/2" Plunge capacity:0-60mm With 1pcs guide holder With 1pcs template guide With 1pcs trimmer guide With 1pcs straight guide With 1set extra carbon brushes Packed	2	8334
146	RS3208		Rotary sander	Voltage:220-240V~50/60Hz Input power:320W No- load speed:12000rpm Dia of sanding pad:125mm Velcrops base With 5pcs sand	10	4232
147	RS3216		Rotary sander	Voltage: 220-240V~50/60Hz Input power: 320W No-load speed: 8000- 13000rpm Dia of sanding pad:125mm Velcrops base Variable speed control With 5pcs sand papers(AKRS125051)	8	4680

148	RS4508	 <p>450W Ø150mm 150mm 5PCS</p>	Rotary sander	<p>Voltage:220-240V~50/60Hz Input power:450W No-load speed:4000- 13000rpm Dia of sanding pad:150mm Velcrops base Variable speed control With 5pcs sand papers With 1set extra carbon brushes Packed by color box</p>	4	4870
149	RS8008	 <p>750W</p>	Reciprocating saw	<p>Rated power:750W No-load speed:900-3300rpm Max.cutting depth: Wood:115mm Steel:8mm Aluminum:12mm SDS</p>	4	5388
150	RS7508	 <p>750W</p>	Reciprocating saw	<p>Voltage:220-240V~50/60Hz Rated power:750W No-load speed: 900- 3300rpm Max.cutting depth: Wood:115mm Steel:8mm Aluminum:12mm Length of stroke 25mm SDS blade change chuck</p>	4	5690
151	FS3216	 <p>320W 90x180mm (3-1/2"x7") 90mm 180mm 5PCS</p>	Finishing sander	<p>Voltage:220-240V~50/60Hz Input power:320W No-load speed:14000rpm Bottom base:90mmx180mm Aluminum durable base With 5pcs sand papers(AKFS240101-1) With 1set extra carbon brushes Packed by color box</p>	6	
152	GG708	 <p>16W(Max.100W) Ø7mm x 2PCS</p>	Glue gun	<p>Volts:220-240V~50/60Hz Input power:16W(100W) Gluing capacity:5- 8g/min Glue stick diameter:7mm With 2pcs 100mm glue sticks Packed in double blister</p>	40	436
153	MX214008	 <p>1400W Connecting rod M14</p>	Mixer	<p>Voltage:220-240V~50/60Hz Input power:1400W No-load speed:0- 500rpm/0-750rpm Mixing pad thread:M14 Aluminum gear box Integrated work light With 1pcs mixing pad With 1set extra carbon brushes Packed</p>	2	8938
154	LM385	 <p>1600W Carbon Brush Motor</p>	Electric lawn mower	<p>Voltage:220V-240V~50/60Hz Input Power:1600W No-load speed:3200rpm Carbon brush motor Cutting width:380mm Cutting height:28/48/68mm Grass box size:45L With 0.35m power cord Packed by</p>	1	9940








155	MF3008		Multi-function tools	Voltage:220-240V~50/60Hz Input power:300W No-load speed:10000- 20000rpm With 1pcs flexibel scraper blade With 1pcs cutting saw blade With 1pcs segment saw blade With 1pcs delta sand pad	5	3947
156	SS852		Scroll saw	Voltage:220-240V~50Hz Input power:85W No load speed:0-1450rpm Blade size:133mmx2.6mmx0.25mm(18TPI) Max.cutting depth:50mm	1	10750
157	AC202416		Air compressor	Voltage:220-240V~50Hz Input power: 1.5 kW (2 HP) Tank:24L(6.3Gal) Noise:96db Aluminium wire motor Pump lubricated with oil No-load speed:2850rpm Operation pressure:max.8bar Packed by carton box	1	11900
158	AC255016		Air compressor	Voltage:220-240V~50Hz Input power: 1.8kW(2.5HP) Tank:50L(13.2Gal) Noise:96db Aluminium wire motor Pump lubricated with oil No-load speed:2850rpm Operation pressure:max.8bar Packed by carton box	1	18800
159	ACS11242		Air compressor	Voltage:220-240V~50Hz Input power: 1100W(1.5HP) Tank:24L(6.3Gal) Oil free system Noise: 67db Aluminium wire motor No-load speed:2850rpm Operation pressure:max.8bar Packed by carton box	1	12741
160	ACS112501		Air compressor	Voltage:220-240V~50Hz Input power:1200W (1.6HP) Tank:50L(13.2Gal) Oil free system Noise: 75db Copper wire motor No-load speed:2850rpm Operation pressure:max.8bar Packed by carton box	1	19820
161	AC202411		Air compressor	Input power: 1.5 kW (2 HP) Tank:24L(6.3Gal) Noise:96db Aluminium wire motor Pump lubricated with oil No- load speed:2850rpm Operation	1	11945








162	AC255011		Air compressor	Input power: 1.8kW(2.5HP) Tank:50L(13.2Gal) Noise:96db Aluminium wire motor Pump lubricated with oil No-load speed:2850rpm Operation	1	15419
163	ACS2241001		Air compressor	Voltage:220-240V~50Hz Input power: 2x1200W (3.2HP) Tank:100L(26.4Gal) Oil free system Noise: 75db Copper wire motor	1	39800
164	CGSLI20128		Cordless chain saw	Brushless motor Voltage:20V Bar length:12"(30cm) Chain Speed:7.9m/s Quick Chain brake function Auto lubrication Include: 1 Pcs 12" saw chain 1 Pcs 12" chain Battery and charger sold separately	2	11740
165	ABH60501		Square to Hex Adapter	Shank size: 1/2" square Drive size: 1/4" Hex Overall length: 2"(50mm) Socket adapter transform impact wrench into impact drivers with square hex bits Packed by double blister	10	276
166	FBLI12153		Lithium-Ion battery pack	Voltage:12V Lithium-Ion 1.5Ah battery Charging port: USB type-C One battery fits all S12 multiple tools Packed by color box	20	1210
167	FBLI12151		Lithium-ion battery pack	Voltage:12V Lithium-ion 1.5Ah battery LED battery power indicator Packed by color box	20	1538
168	FBLI20011		Lithium-Ion battery pack	Voltage:20V Lithium-ion 2.0Ah battery LED battery power indicator One battery fits all P20S multiple tools Packed by color box	10	1850








169	FBLI20021		Lithium-Ion battery pack	Voltage: 20V Lithium-Ion 4.0Ah battery pack LED battery power indicator One battery fits all P20S multiple tools Packed by color box	12	3725
170	FBLI20031		Lithium-Ion battery pack	Voltage: 20V Lithium-Ion 5.0Ah battery pack LED battery power indicator One battery fits all P20S multiple tools Packed by color box	12	5458
171	FBCPK1222		P20S Lithium-Ion battery and charger kit	Voltage: 20V With 2pcs lithium-ion battery pack(FBLI20011) With 1pcs charger(FCLI2001) Lithium-ion battery pack(FBLI20011): Lithium- ion 2.0Ah battery LED battery power indicator	10	4360
172	COSLI230701		P20S Lithium-Ion battery and charger kit	Voltage: 20V With 4pcs lithium-ion battery pack(FBLI20011) With 2pcs lithium- ion battery pack(FBLI2002) With 1pcs charger(FCLI2034) Lithium-ion battery pack(FBLI20011): Lithium-ion 2.0Ah battery LED battery power indicator One battery fits all P20S multiple tools Lithium-ion battery pack(FBLI2002): Lithium ion 4.0Ah battery LED battery power indicator	5	12900
173	FBCPK1214		P20S Lithium-Ion battery and charger kit	Voltage: 20V With 1pcs lithium-ion battery pack(FBLI20021) With 1pcs charger(FCLI2001) Lithium-ion battery pack(FBLI20021): Lithium- ion 4.0Ah battery	10	4350
174	FCLI12071		S12 battery charger	Input voltage:220-240V~50/60Hz Output voltage:12V Output current:0.65A Packed by color box	20	418








175	FCLI2001		P20S battery charger	Input voltage:220-240V~50/60Hz Output voltage:20V Output current:2A Packed by color box	10	1035
176	FCLI20411		P20S battery charger	Input voltage:220-240V~50/60Hz Output voltage:21V Output current:4A Packed by color box	20	2150
177	WAH3008		Electrode holder	Unique design new design Rated current:300A Suitable for MMA welding machine Packed by carton box	70	405
178	WAH5008		Electrode holder	Unique design new design Rated current:500A Netherlands type Suitable for MMA welding machine(Below 500A) Packed by color box	30	556
179	SDBIM21PH233		Impact screwdriver bits	Impact Screwdriver bit PH2+PH2 65mm 10pcs/set With high visibility sleeve The larger optimized Shock Zone are reduces tip breakages S2 industrial steel Black surface with magnet	10	450
180	SDBIM21HL133		Impact screwdriver bits	Impact Screwdriver bit PH2+SL6.0*1.0 65mm 10pcs/set With high visibility sleeve The larger optimized Shock Zone are reduces tip breakages S2 industrial steel Black surface with magnet	10	460
181	WCB0301		3 Pcs Multipurpose brush set	Shank:1/4" Hex Include: 1 Pcs 2.5" hard bristle brush 1 Pcs 3.5" 360-Degree soft bristle brush 1 Pcs 4" medium bristle brush Ideal for cleaning: tubs, showers, porcelain, granite, stove tops, carpet, vinyl, laminate and hardwood, brick, concrete Packed by double blister	4	740







182	WCBM0301 (NEW)	<p>Indoor cleaning 3PCS/SET Medium bristle</p>	3 Pcs Medium bristle brush set	Shank: 1/4" Hex Include: 1 Pcs 2" medium bristle brush 1 Pcs 3.5" 360-Degree medium brush 1 Pcs 3.5" medium bristle brush Ideal for cleaning: flooring, porcelain,	16	740
183	WCB0701	<p>7PCS/SET</p>	7 Pcs Cleaning brush set	Shank: 1/4" Hex 1 Pcs scrub handle 1 Pcs 4" soft bristle brush 1 Pcs 4" medium bristle brush	16	1710
184	WCB1101	<p>11PCS/SET</p>	11 Pcs Cleaning brush set	Shank: 1/4" hex 1 Pcs 2" soft bristle brush 1 Pcs 3.5" soft bristle brush 1 Pcs 3.5" medium bristle brush 1 Pcs 360 degree medium bristle brush 1 Pcs 360 degree abrasive	16	2120
185	WB40751	<p>75mm(3")</p>	Wire wheels	Dia: 75mm, 3" Shank dia: 1/4" Wire dia: 0.3mm Wire length: 16mm RPM: 4500r/min Apply on: planing, deburring, edge honing, descaling/paint	144	106
186	WB30751	<p>75mm(3")</p>	Wire cup brush	1/4" Wire dia: 0.3mm Wire length: 20mm RPM: 4500r/min Apply on: planing, deburring, edge honing, descaling/paint stripping,	120	112
187	WB21002	<p>100mm(4")</p>	WIRE CUP BRUSH	Dia: 100mm, 4" Thread: M10x1.5 Wire dia: 0.5mm Wire length: 30mm RPM: 8500r/min Apply on: roughening,	80	296
188	WB10752	<p>75mm(3")</p>	Wire cup brush	Dia: 75mm, 3" Thread: M10X1.5 Wire dia: 0.3mm Wire length: 23mm RPM: 12500r/min Apply on: planing, deburring, edge honing, descaling/paint stripping, weld seams Suitable for: Steel, Cast steel, Soft	10	171








189	WB20752		Wire cup brush	Dia: 75mm, 3" Thread: M10x1.5 Wire dia: 0.5mm Wire length: 23mm RPM: 12500r/min Apply on: roughening, descaling/paint stripping, weld seams	80	232
190	WB30755		Nylon brush	Dia: 75mm, 3" Shank dia: 1/4" Wire dia: 1.2mm Wire length: 23mm RPM: 4500r/min Apply on: roughening, structuring, descaling/paint	120	258
191	WB41005		Nylon brush	Dia: 100mm, 4" Shank dia: 1/4" Wire dia: 1.2mm Wire length: 10mm RPM: 4500r/min Apply on: roughening, structuring, descaling/paint	120	284
192	WB40755		Nylon brush	Shank dia: 1/4" Wire dia: 1.2mm Wire length: 10mm RPM: 4500r/min Apply on: roughening, structuring,	120	182
193	AKDB2055		4 Pcs hammer drill bits set	4PCS SDS plus hammer drill bits set Size:6*110,6*160,8*160,10*160 Packed by double blister	40	408
194	AKDB1065		6 Pcs HSS twist drill bits set	Size : 2X49,3X61 . 4X75. 5X8 6,6X93 . 8X117 6pcs HSS twist drill bits set Packed	80	173
195	AKD1075		7Pcs HSS twist drill bits set	7pcs Metal drill bits set Material:HSS 4341 SIZE:2,2,3,3,4,5,6mm Packed by plastic box	24	268








196	AKDB1125		12 Pcs HSS twist drill bits set	12pcs HSS twist drill bits set Size : 2,2.5,3,3.5,4,4.5,5,5.5,6, 6.5,7,8mm Packed by double blister	40	328
197	AKSDB9165		16 Pcs drill bits & screwdriver bits	bits set 6pcs HSS twist drill bits SIZE:2,3,3.5,4,5,6mm	40	354
198	AKSDB1901		19 Pcs drill bits & screwdriver bits set	19PCS drill bits & setscrewdriver bits set 7pcs HSS Rolling twist drill bits SIZE:2,3,3.5,4,4.5,6mm 4pcs Masonry drill bits SIZE:4,5,6,8mm 8PCS 25mm Screwdriver bits	40	346
199	JBT144D		Jig saw blade for wood	Speed for wood Total length: 100mm(4") Work length :74mm(3") 6TPI Material: HCS Ground and side set teeth 5pcs/set Application to softwood(5-50mm),chipboards,wood core plywood,fibre boards Packed by double blister	50	145 SET
200	HSBKT12185		Bi-Metal hacksaw blade set	Material: M42+D6A Number of teeth: 18T 5pcs/set Size: 300mm(12") Suitable for item HHF3038/ HHF3028 /HHF3008/ HHF3088 Packed by PP Hanger Card	1	390
201	HSBKT12245		Bi-Metal hacksaw blade set	Material: M42+D6A Number of teeth: 24T 5pcs/set Size: 300mm(12") Suitable for item HHF3038/HHF3028/HHF3008/HHF308 8 Packed by PP Hanger Card	1	390
202	MCD253551		Abrasive metal cutting disc	355mm(14")X2.5mm(3/32")X25.4m(1") Flat centre Cutting disc for metal and INOX RPM:4400r/min Packed by label	25	188








203	MCD303558	 <p>355x3.0mm Double fibre Flat</p>	Abrasive metal cutting disc	355mm(14")X3.0mm(1/8")X25.4mm(1") Flat centre Cutting disc for metal and Inox 25pcs/color box Packed by label	25	196
204	MCD10105100	 <p>100PCS BOX 105x1.0mm Flat</p>	Abrasive metal cutting disc set	105mm(4")*1.0mm(3/64")*16mm(5/8") 100pcs/metal box Flat centre Cutting disc for metal and inox RPM:15300r/min Packed by metal box	100	1990
205	HSTH81000	 <p>Fiberglass handle 1000g Stoning hammer</p>	Stoning hammer	Weight:1000g Innovated drop-forged hammer head Heat treatment,45# carbon steel Strong three-color fiberglass handle for comfortable gripe Packed by label	12	640
206	HMH880100	 <p>Fiberglass handle 100g Drop forged</p>	Machinist hammer	Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle	48	256
207	HMH82200	 <p>Fiberglass handle 200g Drop forged</p>	Machinist hammer	Weight:200g Innovated drop-forged hammer head Heat treatment,45# carbon steel Strong three-color fiberglass handle for comfortable gripe Packed by label	48	269
208	HMH82300	 <p>Fiberglass handle 300g Drop forged</p>	Machinist hammer	Weight:300g Innovated drop-forged hammer head Heat treatment,45# carbon steel Strong three-color fiberglass handle for comfortable gripe Packed by label	36	303
209	HMH82500	 <p>Fiberglass handle 500g Drop forged</p>	Machinist hammer	Weight:500g Innovated drop-forged hammer head Heat treatment,45# carbon steel Strong three-color fiberglass handle for comfortable gripe Packed by label	24	405







210	MMH821000	<p>Fibreglass handle 1000g</p>  <p>Drop forged</p>	Machinist hammer	Weight:1000g Innovated drop-forged hammer head Heat treatment,45# carbon steel Strong three- color fiberglass handle for comfortable gripe Packed by label	12	710
211	HRUH8808	<p>Fibreglass handle 8oz</p>  <p>Rubber</p>	Rubber hammer	Weight:8oz/220g Rubber hammerhead Non-spark Non-marring plastic faces Protect workpiece surface Unique design fiberglass handle Packed by label	40	255
212	HRUH8908	<p>Fibreglass handle 8oz</p>  <p>Natural rubber</p>	Rubber hammer	Weight:8oz/220g Natural rubber hammerhead, soft type Non- spark Non-marring plastic faces Protect workpiece surface Unique design fiberglass handle Packed by label	40	360
213	HSTHS81000	<p>Fibreglass handle 1000g</p>  <p>Drop forged</p>	Stoning hammer	Weight : 1000g Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle	12	590
214	HCH81008	<p>Fibreglass handle 8oz</p>  <p>Drop forged</p>	Claw hammer	Weigh:8oz/220g Magnetic nail function Innovated drop-forged hammer head Drop-forged hammerhead Heat treatment, 45# carbon steel Unique design fiberglass handle Packed by label	36	387
215	HCHS8008	<p>Fibreglass handle 8oz</p>  <p>Drop forged</p>	Ball pein hammer	Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle	36	316
216	HBPHS8016	<p>Fibreglass handle 16oz</p>  <p>Drop forged</p>	Machinist hammer	Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle	18	424







217	HCHS8016	 <p>Fibreglass handle 16oz Drop forged</p>	Claw hammer	Weight : 16oz/450g Drop-forged hammerhead Heat treatment,45# carbon steel	18	387
218	HKISSD38104	 <p>10PCS/SET Cr-Mo 8/10/12/13/14/15/17/19mm 3/8" (F)&1/2" (M) 1/4" Hex to 3/8" Best for Cordless Tools</p>	10 Pcs 3/8"DR. Impact socket set	10 Pcs 3/8"DR. Impact socket set Include: 8 Pcs 3/8"DR. Impact socket:8/10/12/13/14/15/17/19mm 1 Pcs 3/8"(F)&1/2"(M) Impact socket adapter 1 Pcs 1/4" Hex to 3/8" Impact socket adapter Material:Cr-Mo Cold extrusion Heat treatment Supplied in a convenient storage rail Suitable for CDRLI2060151/CDRLI206015/CDRLI2060152/CDRLI206015-3 Packed by double blister	5	1320
219	HKISSD12141	 <p>14PCS/SET Cold extrusion Cr-Mo 1/2" DR Best for Cordless Tools</p>	14 Pcs 1/2"DR. Impact socket set	14 Pcs 1/2"DR. Impact socket set Drive size:1/2" Impact socket size:10.11.12.13.14.15.16.17.18.19.2 1.22.2 4.27mm Material:Cr-Mo Cold extrusion Heat treatment Suitable for CIWLI2038/CIWLI2038-	8	2150
220	HKISSD12101	 <p>10PCS/SET Cold extrusion Cr-Mo 1/2" DR Best for Cordless Tools</p>	10 Pcs 1/2" impact socket set	set Material:CrMo Size:10.12.13.14.15.17.19.21 .22.24mm	12	1590
221	HKISSD12102L	 <p>10PCS/SET Cold extrusion Cr-Mo 1/2" DR Best for Cordless Tools</p>	10 Pcs 1/2" deep impact socket set	10 Pcs 1/2"DR. deep impact socket set Size:10.12.13.14.15.17.19.21.22.24 mm length:78mm Material:CrMo Heat treatment Packed by BMC	3	2170
222	HKTS14462	 <p>46PCS/SET Cr-V 1/4" DR inco</p>	46 Pcs 1/4" socket set	46 Pcs 1/4" socket set Include: 1 pcs 1/4" 72T quick release ratchet handle 13 Pcs 1/4"Dr Socket: 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm 1 Pcs 1/4"Dr Universal joint 2 Pcs 1/4"Dr Extension bar: 2"(50mm) &4"(100mm) 1 Pcs 1/4"*150mm Spinner handle 22 Pcs 1/4" Bit socket: H3-4-5-6-7- 8;T8-10-15-20-25-30-40;SL4-5.5-6.5;PH1-2-3;PZ1-2-3 1 Pcs 1/4"*150mm Flexible extension bar 1 Pcs 1/4"*114mm Sliding T bar 4 Pcs Hex key wrench: 1.5-2.0-2.5- 3.0mm Material:50BV30 High quality Cr-V steel	5	2770








223	HKTS14122		12 Pcs 1/4" socket set	10pcs 1/4" socket:5-6-7-8-9- 10- 11- 12- 13-14mm 1pcs 1/4" 45T quick release ratchet handle 1pcs 1/4 " 100mm extension bar 50BV30 High quality	20	1088
224	HKTS12122		12 Pcs 1/2" socket set	12 Pcs 1/2" socket set Include: 10 Pcs socket:10,11,12,13,14,15,17,19, 21,24mm 1 Pcs 1/2" 45T quick release ratchet handle 1 Pcs 5"(125mm)	10	1790
225	HKTS14201		20 Pcs 1/4" socket set	20 Pcs 1/4" socket set Include : 1pcs 1/4" DR. Ratchet handle,45T 13pcs 1/4" DR. Sockets: 4,4.5,5,5.5,6,7,8,9,10,11,12,13, 14mm	12	1590
226	HKTS12201		20 Pcs 1/2" socket set	20 Pcs 1/2" socket set Include : 1pcs 1/2" DR. Ratchet handle,45T 12pcs 1/2" DR. Sockets: 10,11,12,13,14,15,16,17,18,19,2 2,24mm	6	3120
227	HKTS0243		24 Pcs 1/2" socket set	Include : 18pcs 1/2" CRV DR. Sockets: 10,11,12,13,14,15,16,17,18,1 9,20,21,22, 23,24,27,30,	4	4740
228	HKTS12251		25 Pcs 1/2" socket set	25Pcs 1/2" Socket set Include: 1Pcs 1/2"Dr Ratchet wrench,72T 18Pcs 1/2"Dr Socket:10- 11- 12-13- 14-15-16- 17-18-19-20-21-	4	5520
229	HRTH0812		Ratchet wrench	Size:1/2" 72T Length:255mm Material : Cr-V+CrMo Heat treatment Packed by plastic hanger	10	940








230	HRTH0814	 <p>Cr-V 1/4" 72T Quick release Cr-Mo</p>	Ratchet wrench	Size: 1/4" 72T Length: 155mm Material : Cr-V+CrMo Heat treatment Packed by plastic hanger	10	545
231	HPW0810	 <p>Cr-Mo 10" Solid rivet Stronger Max Ø34mm</p>	Pipe wrench	Max clamping diameter: 34mm Mobile jaw material: cr-mo Inactivate treatment Body material: ductile cast iron Black finish and polish	18	512
232	HPW0812	 <p>Cr-Mo 12" Solid rivet Stronger Max Ø42mm</p>	Pipe wrench	Size: 12" (300mm) Max clamping diameter: 42mm Mobile jaw material: cr-mo Inactivate treatment Body material: ductile cast iron Black finish and polish	18	617
233	HPW0814	 <p>Cr-Mo 14" Solid rivet Stronger Max Ø50mm</p>	Pipe wrench	Max clamping diameter: 50mm Mobile jaw drop-forged with high quality carbon steel Inactivate treatment	12	815
234	HPW0818	 <p>Cr-Mo 18" Solid rivet Stronger Max Ø60mm</p>	Pipe wrench	Max clamping diameter: 60mm Mobile jaw drop-forged with high quality carbon steel Inactivate treatment	10	1240
235	HPW0824	 <p>Cr-Mo 24" Solid rivet Stronger Max Ø76mm</p>	Pipe wrench	Max clamping diameter: 76mm Mobile jaw drop-forged with high quality carbon steel Inactivate treatment	4	1840
236	HMBC0808	 <p>Cr-Mo 200mm(8") Ø3.5mm</p>	Mini bolt cutter	Size: 8" Cr-V blade Black finish and polish TPR two color handle A lock at the end of handle	48	398








237	HBC0812		Bolt cutter	Size:12" Cr-V blade Black finish and polish TPR two color handle Packed by paper card	20	985
238	HBC0814		Bolt cutter	Size:14" Cr-Mo blade Black finish and polish TPR three color handle Packed by paper card	16	1050
239	HBC0818		Bolt cutter	Size:18" Cr-V blade Black finish and polish TPR two color handle Packed by paper card	12	1350
240	HBC0824		Bolt cutter	Size:24" Cr-V blade Black finish and polish TPR two color handle Packed by paper card	24	1665
241	HR101		Hand riveter	L:270mm,10" Applicable rivet size:2.4mm, 3.2mm,4mm,4.8mm Packed by	10	515
242	HR105		Hand riveter	Size:10.5" Aluminium alloy body Applicable rivet size:2.4mm, 3.2mm,4mm,4.8mm Packed by double blister	10	592
243	HFOR321		Folding hand riveter	Size:815mm,32" Applicable rivet size:3.2mm,4mm,4.8mm,6m,6.4mm Packed by color box	8	1755







244	HRS108	 <p>Alu: Φ2.4, 3.2, 4.0, 4.8mm 10.5" moco</p>	Hand riveter	Size:10.5" Applicable aluminum rivet size: Φ 2.4mm, 3.2mm,4mm,4.8mm Packed by sliding card	10	390
245	HPCS05428	 <p>Automatic Open 3-42mm Cutting Range SK5</p>	PVC pipe cutter	Length:203mm Material : 4cr13 Cutting diameter:3- 42mm Auto- open function New unique handle design Packed	48	512
246	HPC0442	 <p>Automatic Open 3-42mm Cutting Range HEAVY DUTY SK5</p>	PVC pipe cutter	Length:230mm Cutting diameter:3-42mm Auto- open function Packed by double	24	755
247	HKSD0628	 <p>6PCS/SET GALV C moco</p>	6 Pcs screwdriver set	6 pcs screwdriver setnew design handle Material : CR- V Round blade 1pcs SL5.5*5*75 1pcs SL5.5*5*100 1pcs SL6.5*6*150	20	722
248	HKSD1058	 <p>10PCS/SET GALV C moco</p>	10 Pcs screwdriver and precision screwdriver set	10 Pcs screwdriver and precision screwdriver set Material : CR- V. Round blade 6 Pcs screwdriver : 1pcs SL5X75mm	40	462
249	HKSDB0248	 <p>24PCS/SET GALV C moco</p>	24 Pcs screwdriver set	Include: 16 Pcs 6.35X25mm Screwdriver bit : SL3,SL4,SL5,SL6,SL6,SL7 ,PH1 ,PH2,PH2,PH3,PZ1,PZ2,T10,T 15,T	24	595








250	AKB1001		Accessories for die grinder and mini grinder	<p>Accessories for die grinder and mini grinder</p> <p>5 Pcs grinding burrs for die grinder,6mm shank,suitable for PDG4003 PDG5501.</p> <p>1 Pcs cylindrical 19*26mm</p> <p>1 Pcs bullet type 14*25mm</p> <p>1 Pcs cone 25*38mm</p> <p>1 Pcs T-type 25*13mm</p> <p>1 Pcs round 23*24mm</p> <p>5 Pcs grinding burrs for mini grinder, 3mm shank,suitable for MG13328 MG2008 CMGLI2001</p> <p>1 Pcs bullet type 10*18mm</p> <p>1 Pcs cone 13*21mm</p> <p>1 Pcs cone 13*21mm</p> <p>1 Pcs T-type 12*13mm</p> <p>1 Pcs round 12*12mm</p> <p>Packed by double blister and color box</p>	10	198
251	AKB0502		Accessories for die grinder	<p>Suitable for Die grinder PDG5501,6mm shank</p> <p>1 Pcs cylindrical 19*26mm 1 Pcs bullet type 14*25mm 1 Pcs cone 25*38mm</p> <p>1 Pcs T-type 25*13mm 1 Pcs round 23*24mm</p> <p>Packed by double blister and color box</p>	10	186
252	HKSPAR1082		8 Pcs ratchet spanner set	<p>8pcs Ratchet Spanner Set High quality Cr- Mo Ratchet Size:8-19mm 8mm,10mm,12mm,13mm,14</p>	10	2150
253	HKSPAR1083		8 Pcs flexible ratchet spanner set	<p>8pcs Flexible Ratchet Spanner Set High quality Cr-Mo Ratchet</p> <p>5M^at^erⁱa^l:st^eel(SPCC)</p>	10	2560
254	HKSPA1088-I		8Pcs Combination spanner set	<p>8pcs combination spanner set Size:6- 19mm 6mm,8mm,10mm,12mm,14mm,15m m,17mm,19 mm Fine polished Packed by plastic hanger</p>	20	995
255	HKSPA1088-I		Combination spanner set	<p>8pcs combination spanner set Size:6- 19mm 6mm,8mm,10mm,13mm,14m m, 15mm,17mm,19mm Fine polished</p>	20	865


256	HKSPA2088	 <p>8PCS SET 6x7mm, 8x9mm, 10x11mm, 12x13mm, 14x15mm, 16x17mm, 18x19mm, 20x22mm</p>	Double open end spanner set	8pcs double open end spanner set Size:6- 22mm 6x7mm,8x9mm,10x11mm,12 x13 mm, 14x15mm,16x17mm,18x19m	20	970
257	AHM009	 <p>Viewing area:90x36mm ON/OFF AUTO Power</p>	Auto-darkening welding helmet	Viewing area:90x35mm Cartridge size:110x90x10mm Arc sensor:2 Light state:DIN 4 Dark state:fixed shade 11 Shade control:unadjustable Power	6	1810
258	AHM111	 <p>Viewing area:95x31mm ON/OFF AUTO Power</p>	Auto-darkening welding glasses	glasses Viewing area:95x31mm Cartridge size : 108x 50.8x 5mm Sensors : 2 Light state : 3 Dark state : 11 UV/IR protection : up to	40	1058
259	AHM112	 <p>Viewing area:95x31mm ON/OFF AUTO Power</p>	Auto-darkening welding goggle	Auto-darkening welding goggle Viewing area:95x31mm Cartridge size:108x 50.8x 5mm Sensors:2 Light state:3 Dark state:11 UV/IR protection: up to DIN 16 ON / OFF: automatic Switch time(Light to dark): <0.5ms	40	1140
260	HSG07	 <p>Dims5 WELDING PC</p>	Safety goggles(Only for welding)	Material:PC Dark shade:5 Use for welding Economical wrap around style Light weight,comfortable to wear,wide visual field Indoor and outdoor lenses Packed by	48	135
261	HSGW01	 <p>Dims8 WELDING PVC</p>	Welding goggles	Flexible PVC body, indirect ventilation design. Dark shade:8 Flip design with open-close locking positioning, easy to use.	40	155
262	HGVL08-XL	 <p>1Pair/Paper XL CE EN388 2151X</p>	Latex gloves	*Size:XL Liner Material:Polyester Coating material/Finish: embossed latex Gauge:13 Protection level:2131X 1pair/paper Use for heavy cargo handling worker, slight sharp objects carrier etc. From pressing,longer life time than normal. Polyester seamless knitted shell. Textured palm dip for extra grip and durability. Packed by poly bag	12	183

263	HHFS3058	 <p>300mm(12") M2+D6A Bi-Metal blade</p>	Hacksaw frame	<p>Size:300mm/12" With 1pcs 300 mm (12") 24 TPI M2+D6A bi- metal blade Handle material:ABS plastics Suitable for cutting metal, plastic, wood Soft grip design Comfortable, easy to use, lightweight Packed by paper card</p>	36	290
264	HSU025001	 <p>Ø115mm 50KG</p>	Sucker	<p>Handle material: ABS Max. pull: 50kg Cup diameter: 115mm Packed by color sleeve</p>	18	540
265	HSU012501	 <p>Ø115mm 25KG</p>	Sucker	<p>Handle material: ABS Max. pull: 25kg Cup diameter: 115mm Packed by color sleeve</p>	9	318
266	HTSN0110S	 <p>250mm(10")</p>	Aviation snip	<p>handle Aviation snip(Straight) Length:250mm (10") Max.cutting thickness: Carbon steel ≤1.2mm Stainless</p>	40	524
267	HAXS206001	 <p>Fiberglass handle 600g 390mm</p>	Axe	<p>Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle</p>	12	590
268	HAX081600	 <p>Fiberglass handle 600g 390mm</p>	Axe	<p>Weight:600g Innovated drop-forged axe head Heat treatment,45# carbon steel Strong three-color fiberglass handle for comfortable gripe</p>	12	710
269	HAX081800	 <p>Fiberglass handle 800g 390mm</p>	Axe	<p>Weight:800g Innovated drop-forged axe head Heat treatment,45# carbon steel Strong three-color fiberglass handle for comfortable gripe Packed by label</p>	12	795

270	HAX0811250		Axe	Weight:1250g Innovated drop-forged axe head Heat treatment,45# carbon steel Strong three-color fiberglass handle for comfortable gripe Packed by label	8	890
271	HCP08208		Combination pliers	Size : 8"/200mm Polish and anti-rust oil Two color handle Packed by sliding card	36	352
272	HKPS08318		3pcs plier set	Size: 8" Combination pliers 6" Long nose pliers 6" Diagonal cutting pliers Polish and anti- rust oil Two color handle Packed by sliding card	20	945
273	HMFH0121		Multi-function hammer	Multi-function hammer With 12 Functions 1.Claw hammer 2.Flat nose Pliers 3.Regular pliers 4.Wire Cutters 5.Large knife 6.Wood Saw 7.Hook remover 8.Phillips Screwdriver 9.Metal File 10.Wood File 11.SL5 Slotted screwdriver 12.Hex key Strong Aluminum Handle	10	1960
274	CJSLI8501		Lithium-Ion Cordless Jig Saw	Voltage:20V No-load speed:2400rpm Cutting capacity: Wood: 80mm Metal: 8mm With 5pcs saw blades Battery and charger sold separately Packed by color box		3750
275	CACLI2001		Cordless auto air compressor	Voltage:20V Max pressure:160PSI/11BAR With 3pcs adaptors Battery and charger sold separately Packed by color box	5	3350
276	CACLI2002		Cordless auto air compressor	Voltage:20V Max pressure:160PSI/11BAR Integrated work light With 3pcs adaptors With 1pcs air tube With 1pcs 3m cord with cigarette lighter Battery and charger sold separately Packed by color box	5	7950

277	HTBP02031		Tool bag	Size: 2 Pcs L26*W23cm 1 Pcs L15*W13cm Adjustable belt (92-127cm) 14 Pcs pockets 2 Pcs hammer holders Max load: 10kg Material: 600D polyester Various pockets for tools Packed by paper card	5	980
278	COS23076		Bricklaying & Plastering Tools Set	Bricklaying & plastering set include: 1 Pcs 150mm(6") bricklaying trowel 1 Pcs 200mm(8") bricklaying trowel 1 Pcs 280*130mm plastering trowel with teeth 1 Pcs 63mm(2.5") multifunction putty trowel 1 Pcs 150mm(6") putty trowel 1 Pcs 200mm(8") drywall taping knives 1 Pcs 240*100mm rubber grout float 1 Pcs 300mm(12") plastic mud pan Packed by color box	5	1775
279	HLDD0608		Laser distance detector	Measuring Range:0.05-60m Measuring Accuracy:±2.0mm Laser Type:635nm, <1mW, Class 2 Operating temp:-10°C ~ +50°C Function:Distance,area,volume,height With power off function With 1pcs canvas bag Packed by color box		4750
280	CJSLI6508		Cordless Jig Saw	Voltage:20V No-load speed:2400rpm Cutting capacity: Wood : 65mm Metal : 8mm With 1pcs saw blade Battery and charger sold separately Packed by color box	5	4550
281	HKTHP10321		32 Pcs hand tools set	32 Pcs Tools set Include : 1 Pcs 7" Combination Pliers 1 Pcs 6" Adjustable Wrench 1 Pcs SL5.5*100 Screwdriver 1 Pcs PH1*100 Screwdriver 1 Pcs Test Pencil (Test voltage : 100- 500VAC) 1 Pcs Mini Claw Hammer 1 Pcs 3M Steel measuring tape 1 Pcs Snap-off blade knife 1 Pcs 1/4" Magnetic shank 20 Pcs 1/4" Screwdriver bits SL3,SL4,SL5,SL6,PH0,PH1,PH2,PH3,P Z0,PZ1,PZ2,PZ3,T10,T15,T20,T30,H3, H4,H5,H6 25mm 1 Pcs 8" Scissors 1 Pcs Mini Hacksaw frame 1 Pcs 17" Plastic Tool Box Pack by Plastic Box		2750
282	COS23056		Electrical Test Kit, Digital AC clamp meter, Digital multimeter, Test Pencil, Infrared Thermometer, Intelligent Voltage-detecting Stripper flash	5pcs/set Include: 1 Pcs Digital AC clamp meter: AC Current: 4A/40A/400A/600A AC Voltage: 4V/40V/400V/600V DC Voltage: 400mV/4V/40V/400V/600V Resistance: 400Ω/4kΩ/40kΩ/400kΩ/4MΩ/40MΩ Capacitance: 4nf/40nf/400nf/4μF/40μF/400μF/4mf 1 Pcs Digital multimeter: Display: true RMS 2000 counts Smart function AC/DC Voltage: 0.8~600V Resistance: 600kΩ 1 Pcs test pencil: Test voltage: AC 12-300V LCD digital display Sound and light alarm		4100

283	APS06131-3	 <p>Ga20 1.2mm 6-13mm Wood</p>	Air stapler	Load capacity:100Pcs Staple size:6-13mm Ga20,1.2X0.6mm Staple crown:11.2mm Without safety trigger Only with Nitto type connector. Operation pressure:0.4-0.7Mpa(60- 100Psi) Packed by color box		1820
284	HADW131062	 <p>WIDE OPENING 150mm(6") 45#CS 0-24mm</p>	Adjustable wrench	Length:150mm(6") Adjustable clamp size:0-24mm Packed by paper card		298
285	HCLP0210	 <p>Carbon-steel Chain Size: 18.5" 10"</p>	Chain clamp locking plier	Carbon steel Size: 10" Chain size: 18.5"/470mm Nickle plated Weight: 700g Same function as HCLP0110 Packed by color box		890
286	AKD1055	 <p>6PCS/SET 2,3,4,5,6,8mm HSS 4341 135°</p>	6 Pcs Metal Drill Bits Set AKD1055	6pcs Metal drill bits set Material:HSS 4341 SIZE:2,3,4,5,6,8mm Packed by plastic box		210
287	HADW131102	 <p>WIDE OPENING 250mm(10") 45#CS 0-35mm</p>	Adjustable wrench	Length:250mm(10") Adjustable clamp size:0-35mm Packed by paper card		490
288	AH1101-3	 <p>10m Ø8mm</p>	Air hose	Material:PU Length:10M Only with Nitto type connector. Inner diameter: 5mm External diameter: 8mm Packed by shrink	10	760
289	AH1051-3		Air hose	Material:PU Length:5M Only with Nitto type connector. Inner diameter: 5mm External diameter: 8mm Packed by shrink	10	

290	AKSDFL1208		12 Pcs Flexible Shaft Screwdriver Set AKSDFL1208	12 Pcs Flexible shaft screwdriver set Include: 1Pcs Flexible shaft handle 1Pcs 4-6mm(25mm)bits adaptor 10Pcs 6.35X25mm screwdriver bits : SL5,SL6,SL7,PH1,PH2,PH3,T10,T15,T 20,T25 Packed by half double blister		390
-----	------------	---	---	---	--	-----