

**MISTRY SIGN**Nilesh Mistry : 98247 55525
95748 55525

Rakesh : 91060 18150

QUOTATION

newmistryandco@gmail.com

NEW MISTRY AND CO.

Reg. Address : 9 Balaji Krupa Complex, Darukhana Road, Begampura, SURAT-395003.

GUJARAT INDIA GSTIN : 24AAGHN1137B1ZTGODOWN : C1 To C8 Vaibhav Ind Estate, Near Tanu Gas Agency, Pandesara GIDC,
Inside Batliboi Circle, Pandesara Surat-394221, GUJARAT, INDIA.

M/S. :			Q. DT :
GST :	APPLICABLE		Q. NO. :
No.	MACHINE DISCRPTION	QTY.	TOTAL INR AMOUNT
1	T16 E JON CHANNEL LETTER BENDING MACHINE 160mm AUTODEPTH FUNCTION * WITH AIR COMPRESSOR WITH COMPUTER FOR ALUMINIUM CHANNEL BENDING UPTO 160mm POWER : 1000W VOLTAGE : 220V INPUT FILE : DXF, PLT GROSS WEIGHT : 400Kgs. NETT WEIGHT : 276Kgs. PACKING SIZE : 1220*660*1290 WORKING SPACE : 1740*970*1500 EX STOCK AVAILABLE AT SURAT WAREHOUSE*	1.00	₹
TRANSPORT CHARGE EXTRA TO CUSTOMER FACTORY		ADD 18% GST	₹
PAYMENT 100% ADVANCE BEFORE DISPATCH		FINAL AMOUNT	₹

**MACHINE
PICTURE**

INSTALLATION ENGINEER FOOD & LODGING
ARRANGEMENTS AND CHARGES SHOULD BE
MADE BY THE BUYER CLIENT. WHILE TO &
FROM TICKET CHARGES BY OUR SIDE.

इन्स्टोलेशन इंजीनियर का ठहरने और खाने का व्यवस्था
एवं खर्च मशीन लेने वाले ग्राहक पर रहेगा, और आने
जाने का खर्च हमारे तरफ से होगा.

GST BANK DETAILS**NEW MISTRY AND COMPANY**

YES BANK	A/C NO. 136084600002023	IFSC : YESB0001360	RING ROAD SURAT BR.
KOTAK BANK	A/C NO. 9574855525	IFSC : KKBK0002850	LALGATE SURAT BR.


Parameters

Ejon Channel Letter Bending Machine-T16




- 1.Encoder closes loop monitoring to ensure of the working length $\leq 0.1\text{mm}$
- 2.Alloy milling cutter slotted at any angle between 60° to 120°
- 3.no need to adjust the slotting depth by hand,systems can do it intelligently ,easy to switch between different materials
- 4.Revolve and extrude to an arc,quick and no damage the materials. The built-in material data of the system can bend various specifications of material accurately
- 5.Adjust-able material tray,easy to switch between different materials quickly

MODEL PARAMETER	
Slotting Method	Milling Wheel Cutter
Bending Method	Double Bends Bending
Package Size	1220*660*1290mm
Working Space	1740*970*1500mm
Suitable Material	Aluminum Plate ,edged aluminum,channelume aluminum,3D composite material
Suitable Font	Brimless Letter, Edged Aluminum Letter
Slotting Trip	20-160mm
Material Thickness	0.4-1.2mm
Min.Bending Angle	R10
Control System	4 Axis Control System 4
File Format	Dxf.Plt.Ai
Power	AC220V、 50Hz、 2.0Kw
Machine Weight	276Kg



Adopt rolling continuous feeding device.
The feeding bracket adopts an integral casting structure, which effectively avoids the deformation during the feeding process and ensures the stability of the feeding.

Slotting with a large-angle rotatable milling cutter, and slotting on both sides. It can realize slotting with swing knife at any angle, and easily process all kinds of profiles.



Specially designed bending mechanism, the bends adopts special design copper column, which can adapt to different profile, improve the molding degree by squeezing and pressing.



SUITABLE FONT

